

Interactions Among Ligand Production, Chemical Complexation and Speciation, Algal Accumulation, And Sediment-Water Cycling Of Toxic Metals In A Major US Naval Harbor (Elizabeth River, VA)

PI: John R. Donat

Dept. of Chemistry and Biochemistry, Old Dominion University
Norfolk, VA 23529-0126

Phone: (757) 683-4098 FAX: (757) 683-4628 E-mail: JDONAT@odu.edu

Co-PI: David J. Burdige

Dept. of Ocean, Earth, and Atmospheric Sciences
Old Dominion University
Norfolk, VA 23529-0276

Phone: (757) 683-4930 FAX: (757) 683-5303 E-mail: DBURDIGE@odu.edu

Grant Number N00014-99-1-0386

http://www.onr.navy.mil/sci_tech/ocean/onrpgahj.htm

LONG-TERM GOAL

Our long-term goal is to determine the processes controlling the concentrations, chemical complexation and speciation, biological uptake, and cycling of pollutant metals in the water column and sediments of anthropogenically-impacted harbors.

OBJECTIVES

In conjunction with other ONR HP investigators, we are performing an integrated study of the biogeochemical cycling of Cu, Cd, Zn, and Mn in the water column and sediments of a major US Naval harbor, the Elizabeth River (VA). We are studying the interrelationships among:

(1) trace metal concentrations, complexation and speciation (Donat); (2) *in situ* production of Cu chelators by natural microbial populations (in collaboration with A. Gordon/J. Donat [ODU]); (3) phytoplankton metal uptake (in collaboration with W. Sunda/S. Huntsman [NOAA]); and (4) fluxes of metals and chelators from sediments (Donat and Burdige).

APPROACH

Our approach consists of both field and laboratory efforts. In conjunction with other Harbor Processes PIs (Gordon, Sunda, Buessler), we performed two major field studies of the Hampton Roads/Elizabeth River in July '99 and in May '00. Water column total and dissolved metal concentrations were determined by graphite furnace atomic absorption after APDC/DDDC chelation/chloroform extraction (Bruland et al., 1979; Statham, 1985). In our benthic flux samples, total dissolved Cu concentrations were determined by chemiluminescence (Sunda and Huntsman, 1991), and total dissolved Zn and Cd concentrations were determined by differential pulse anodic stripping voltammetry (DPASV) at a hanging mercury drop electrode (HMDE) after UV photooxidation (Donat and Henry, 1997). Cu complexation was determined in the water column by competing ligand (salicylaldoxime)

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2001		2. REPORT TYPE		3. DATES COVERED 00-00-2001 to 00-00-2001	
4. TITLE AND SUBTITLE Interactions Among Ligand Production, Chemical Complexation and Speciation, Algal Accumulation, And Sediment-Water Cycling Of Toxic Metals In A Major US Naval Harbor (Elizabeth River, VA)			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Dept. of Chemistry and Biochemistry, Old Dominion University,,Norfolk,,VA, 23529			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Our long-term goal is to determine the processes controlling the concentrations, chemical complexation and speciation, biological uptake, and cycling of pollutant metals in the water column and sediments of anthropogenically-impacted harbors.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 11	19a. NAME OF RESPONSIBLE PERSON
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified			

equilibration/adsorptive cathodic stripping voltammetry (Campos and van den Berg, 1994; Bruland et al., 2000), and in the benthic flux samples by DPASV at an HMDE (Donat et al., 1994). Zn and Cd complexation in the water column was determined by DPASV at a thin mercury film rotating glassy carbon disk electrode (Bruland, 1989, 1992), and in the benthic flux samples by DPASV at an HMDE (Donat et al., 1994). Benthic fluxes were determined using core incubation techniques (Burdige and Homstead, 1994; Skrabal et al., 1997; Burdige and Zheng, 1998).

WORK COMPLETED

We performed our second major field study of the Elizabeth River in May '00, in conjunction with the Gordon/Donat and Sunda/Huntsman projects. Our group of PIs (Donat, Burdige, Gordon, Sunda, and Huntsman) were joined by researchers from Ken Buesseler's lab (WHOI) who are studying groundwater inputs to the Chesapeake Bay/Elizabeth River, and from Beth Ahner's group (Cornell) who are studying the distributions of phytochelatin (algal-produced metal complexing ligands). We provided laboratory space, analytical instrumentation, and equipment (courtesy of ODU's Dept. of Chemistry), and ship time to the Sunda, Buesseler, and Ahner groups during this two-week-long field study.

In May '00, we collected surface water samples along a 7-station estuarine transect from Hampton Roads up the Elizabeth River, and from 1 station in the James River, and collected bottom water and sediment core samples from 2 of these stations in the Elizabeth River. We completed the following determinations for water column and benthic flux samples from both July '99 and May '00 cruises: total (unfiltered) metal (Cu, Cd, Zn, Mn); total dissolved (filtered) metal (Cu, Cd, Zn, Mn); complexation and speciation (Cu, Cd, Zn).

Between 2000 and 2001, we gave 23 presentations on our Harbor Processes Research, of which 8 were published abstracts. These included invited presentations on this ONR HP-funded Elizabeth River work at the San Diego Bay Marine Sediment Processes Workshop (June 2000, San Diego), at the Second Workshop on the Chemistry, Toxicity, and Bioavailability of Copper and Its Relationship to Regulation in the Marine Environment (Nov. 2000), at the Symposium on Pollution Prevention from Ships and Shipyards at the Oceanology International 2001 Conference (May 2001), at EPA's 24th Annual Conference on Analysis of Pollutants in the Environment (May 2001), at ONR's Harbor Processes Review (June 2001), and at the Workshop on the Biotic Ligand Model as a Regulatory Tool for Metal Loadings to Coastal Marine Waters (July 2001). We will also be presenting our results at the International Conference on Remediation of Contaminated Sediments (Venice, Italy; Oct. 2001) and at the Nov. 2001 SETAC Conference (Baltimore).

RESULTS

Water Column - Dissolved (0.22µm-filtered) concentrations of Cu, Cd, and Zn generally increased along the transect from Hampton Roads Harbor (Stn 3) up the Elizabeth River. Dissolved Cu (Fig. 1) ranged from 6nM (Stn 3) to 50nM (Stn 8). Dissolved Cd (Fig. 1) ranged from 94pM (Stn 3) to 560pM (Stn 6), then decreased further upstream to 475pM (Stn 9). Dissolved Zn (Fig. 1) ranged from ~5nM (Stn 3) to 165nM (Stn 8), then decreased upriver to 75nM at Stn 9.




Figure 1. Concentrations of dissolved (—●—) and free metal ions (—▲—) in the Elizabeth River, July 1999 and May 2000.

In all surface water samples, dissolved Cu was observed to be >99.9% complexed by one strong organic ligand class ($\log K_{Cu^{2+}} \sim 12.2$) whose concentration exceeded that of dissolved Cu by 2-10 fold at all stations. The resulting free Cu^{2+} ion concentrations (the potentially toxic form) ranged from 0.042-1.9 pM (Fig. 1). All free Cu^{2+} ion concentrations are below the lower limit concentration of 4 pM reported to reduce the growth rate of a Cu-sensitive ciliate, and are well below the free Cu^{2+} ion concentration of 40 pM reported to reduce the survival rate of a common estuarine copepod (Sunda et al., 1990).

The extent of organic complexation of dissolved Cd in surface water samples ranged from ~0 % (Stn 9) to ~80% (Stn 4). At Stns 3, 4, and 5, two Cd ligands were detected. The concentration of the stronger ($\log K'_{Cd} \sim 10$) ligand, L_1 , ranged from 230 nM (Stn 5) to 380 nM (Stn 3), and the concentration of the weaker ($\log K'_{Cd} \sim 9$) ligand, L_2 , ranged from 530 nM (Stn 3) to 780 nM (Stn 4). Only L_2 was

detected at Stns 6-8. L_2 concentrations were highest (1580 nM) at Stn 6, then decreased further upriver to 320 nM at Stn 8. The concentrations of L_1 and L_2 exceeded that of dissolved Cd at all stations where each was detected, except Stns 8 and 9. Free Cd^{2+} ion concentrations increased upriver from 1.5 pM at Stn 4 to 37pM at Stn 9 (pCd range: 11.8 to 10.4). The highest free Cd^{2+} ion concentrations are below the concentration of ~ 150pM reported by Brand et al. (1986) to reduce the reproductive rate of the most Cd-sensitive neritic phytoplankton species they tested.

Benthic Fluxes - We performed benthic flux studies at two sites in the Elizabeth River - sta. 5 (near Norfolk Naval Base) and sta. 8 (southern branch of the Elizabeth River near Norfolk Naval Shipyard). We recently completed sample analyses from the May '00 study and will shortly complete data processing. We present our results from the July '99 study, and compare these with similar flux studies we did at a site near sta. 5 (sta. PP; Byers, 1999) and at two sites in the mainstem of Chesapeake Bay (Skrabal et al., 1997).




Figure 2. Total dissolved metal fluxes from stations 5, 8 and PP in the Elizabeth River and stations M3 and S3 in the Chesapeake Bay.

Figure 3. Fluxes of metal-complexing ligands from station 5, 8 and PP in the Elizabeth River and stations M3 and S3 in the Chesapeake Bay.

In the Elizabeth River, we observed that: TDZn fluxes > TD Cu fluxes > TD Cd fluxes (Fig. 2), consistent with metal concentrations in these sediments. Furthermore, at all sites for almost all metals, ligand fluxes exceed metal fluxes (compare Figs. 2, 3). Metal and ligand fluxes are generally greater at sta. 8 than at sta. 5. Similar trends are seen in benthic DOC and ΣCO_2 fluxes, and suggest a linkage between metal and metal ligand fluxes and sediment carbon remineralization processes. Finally, ligand fluxes appear to be uncoupled from metal fluxes.

With these data we have begun to examine the controls on metal and metal-complexing ligand benthic fluxes. We start with the assumption that these fluxes are likely controlled by metal chemistry (aqueous chemistry and solid phase speciation), sediment metal loadings and/or sediment organic matter remineralization processes. As mentioned above, a positive relationship appears to exist between metal and ligand fluxes, and sediment carbon remineralization processes--we are exploring this relationship in more detailed analyses of the data. We have also begun to examine the relationship between these fluxes and sediment metal loadings. A positive relationship appears to exist between TDCu and Cu ligand fluxes and sediment Cu enrichment factors. For the other metals however, the results are equivocal, partly because of the small sample set. In the next few months we will continue such comparative analyses of metal and metal-complexing ligand fluxes (incorporating the May 2000 flux data into the analysis) to better understand the controls on these fluxes.

IMPACTS

The information we are producing on the water column complexation and speciation of the toxic metals Cu, Cd, and Zn, and of the micronutrient metal Mn, and on the benthic fluxes of these metals and their ligands are the first such data for the Elizabeth River/Hampton Roads Harbor (home of the US Atlantic Fleet), an area which has been heavily contaminated by pollutant metals from a variety of civilian and military sources.

Metal accumulation by phytoplankton is important both for metal entry into the food chain and metal transport to the sediments. However, the uptake and effects of toxic metals are controlled by their free ion concentrations. Our metal complexation and speciation data will enable us to predict algal uptake, physiological effects, and biogeochemical cycling of these metals. Our data show that while dissolved Cu and Cd concentrations increased upriver by 10x and 6x respectively, the potentially-toxic free Cu^{2+} and free Cd^{2+} concentrations increased upriver by 40x and 25x respectively. However, despite the greater increase in the free ion relative to the total dissolved concentrations of these metals, even the highest free Cu^{2+} and free Cd^{2+} ion concentrations we measured were below reported toxic levels.

The speciation of metals in sediment porewaters governs both their fate (by controlling the extent and speed of their cycling between sediments and the water column), and their effects on biota (by influencing bioaccumulation and toxicity). Sediment-water exchange of both metals and their complexing ligands can strongly influence the speciation, bioavailability and toxicity, and biogeochemical cycling of the metal in the water column. Our benthic flux data show that, in general, the fluxes of Cu, Cd, and Zn and their ligands were higher at station 8 (Norfolk Naval Shipyard) than at station 5 (Norfolk Navy Base), that the relative metal flux order was $\text{Zn} > \text{Cu} > \text{Cd}$, and that station 8 Cu fluxes were more than 100x greater than in the Chesapeake Bay mainstem. . Furthermore, ligand fluxes exceed metal fluxes, at all sites for almost all metals. Overall, these data will allow us to construct models for the cycling of Cu, Cd, and Zn and their ligands between the sediments and overlying waters and for algal metal uptake and ligand production.

RELATED PROJECTS

Our work is part of an integrated, collaborative study of the complex processes controlling the concentrations, chemical complexation and speciation, biological uptake, and cycling of three potentially toxic metals (Cu, Cd and Zn) in the Elizabeth River, a major US Naval harbor. As discussed above, our work is carried out in coordination with studies by W. Sunda (NOAA/NMFS) on

the mechanisms and factors controlling algal metal accumulation, and by A. Gordon and J. Donat (ODU) on the *in situ* production of Cu chelators by natural microbial populations in response to elevated Cu levels. Both of these projects are also funded through the ONR Harbor Processes Program.

REFERENCES

- Brand, L.E., W.G. Sunda, and R.L.L. Guillard. 1986. J. Exp. Mar. Biol. Ecol. 96: 225-250.
- Bruland, K.W. 1989. Limnol. Oceanogr. 34: 267-283.
- Bruland, K.W. 1992. Limnol. Oceanogr. 37: 1008-1017.
- Bruland, K.W., R.P. Franks, G.A. Knauer, and J.H. Martin. 1979. . Anal. Chim. Acta, 105: 233.
- Bruland, K.W., E.L. Rue, J.R. Donat, J.W. Moffett, and S.A. Skrabal. 2000. Anal. Chim. Acta, 405: 99-113.
- Burdige, D.J. and J. Homstead. 1994. Geochim. Cosmochim. Acta, 58: 3407-3424.
- Burdige, D.J. and S. Zheng. 1998. Limnol. Oceanogr 43:1796-1813
- Byers, D.G. 1999. M.S. Thesis, Old Dominion University.
- Campos, M.L.A.M. and C. M. G. van den Berg. 1994. Anal. Chim. Acta, 284: 481-496.
- Donat, J.R., K.A. Lao, and K.W. Bruland. 1994. Anal. Chim. Acta, 284: 547-571.
- Donat, J.R. and C.W. Henry III. 1997. Abstract GEOC 165 for the 213th American Chemical Society Meeting.
- Skrabal, S.A., J.R. Donat, and D.J. Burdige. 1997. Limnol. Oceanogr., 42(5): 992-996.
- Statham, P.J. 1985. . Anal. Chim. Acta, 169: 149-159.
- Sunda, W.G. and S.A. Huntsman. 1991. Mar. Chem., 36: 137-163.
- Sunda, W.G., P.G. Tester, and S.A. Huntsman. 1990. Est. Coast. Shelf Sci., 30: 207-221.

PUBLICATIONS

Gobler, C.J., S. Sañudo-Wilhelmy, **J.R. Donat**, and J.A. Consolvo III. 2002. Physicochemical speciation of iron in the Peconic Estuary: Observations during algal blooms. *Marine Chemistry*, in press.

Burdige, D.J. 2001. Sediment pore waters. In: *Biogeochemistry of Marine Dissolved Organic Matter* (D. Hansell and C. Carlson, eds.). Academic Press Inc., in press.

Donat, J.R. and C.L. Dryden. 2001. Elemental Distribution: Transition and Heavy Metal Speciation, in: *Encyclopedia of Ocean Sciences*, J. Steele, S. Thorpe, and K. Turekian (Eds.) Academic Press, Inc., London.

Ndung'u, K., **J.R. Donat**, M. Thomas, J.A. Consolvo III, and A.R. Flegal. 2001. Intercalibrated lead concentration measurements in the Atlantic Ocean. *Deep Sea Research II*, 48(13): 2781-2786.

Powell, R.T. and **J.R. Donat**. 2001. Organic complexation and speciation of dissolved iron in the South and Equatorial Atlantic. *Deep Sea Research II*, 48(13): 2877-2893.

Bruland, K.W., E.L. Rue, P. Kozelka, **J.R. Donat**, J.W. Moffett, and S.A. Skrabal. 2000. Intercomparison of voltammetric techniques to determine the chemical speciation of dissolved copper in a coastal seawater sample. *Analytica Chimica Acta*, 405: 99-113.

Burdige D.J. 2000. Dissolved organic matter in estuarine sediment pore waters. In: *Organic Geochemical Tracers in Estuaries*, (E. Canuel and T. Bianchi, eds.). Special Issue of *Organic Geochemistry*: 32: 487-505.

Burdige D.J., A. Skoog and K.G. Gardner. 2000. Dissolved and particulate carbohydrates in contrasting marine sediments. *Geochimica Cosmochimica Acta*, 64:1029-1041.

Gordon, A.S., **J.R. Donat**, R.A. Kango, B.J. Dyer, and L.M. Stuart. 2000. Dissolved copper-complexing ligands in cultures of marine bacteria and in estuarine waters. *Marine Chemistry*, 70: 149-160. Invited paper in Special Issue in Honor of F.J. Millero

Skrabal, S.A., **J.R. Donat**, and **D.J. Burdige**. 2000. Pore water distributions of dissolved copper and copper-complexing ligands in estuarine sediments. *Geochimica Cosmochimica Acta*, 64:1843-1857.

Gordon A.S., **J.R. Donat**, R. Kango, B. Dyer, and L. Stuart. 2000. Dissolved copper-complexing ligands in cultures of marine bacteria and estuarine water. *Marine Chemistry* 70: 149-160.

Published Abstracts:

Donat, J.R. and **D.J. Burdige**. 2001. "Trace metal concentrations, speciation, and benthic fluxes in the Elizabeth River, Virginia". Abstract Book: The American Society of Limnology and Oceanography's Aquatic Sciences Meeting, Albuquerque, NM, p. 47.

Carrasco, G.G. and **J.R. Donat**. 2001. "Concentrations, complexation, and speciation of Zn and Cd in the western South and Equatorial Atlantic Ocean". Abstract Book: The American Society of Limnology and Oceanography's Aquatic Sciences Meeting, Albuquerque, NM, p. 32.

Ahner, B.A., L. Wei, and **J.R. Donat**. 2001. "Particulate phytochelatin in the Elizabeth River estuary (Norfolk, VA)". Abstract Book: The American Society of Limnology and Oceanography's Aquatic Sciences Meeting, Albuquerque, NM, p. 16.

Dryden, C.L., J.A. Consolvo, A.S. Gordon, and **J.R. Donat**. 2001. "Microbial response to elevated copper concentrations in a naval harbor". Abstract Book: The American Society of Limnology and Oceanography's Aquatic Sciences Meeting, Albuquerque, NM, p. 48.

Donat, J.R. (INVITED). 2000. "Trace metal speciation in estuarine waters: voltammetric approaches and biogeochemical implications". Keynote Abstract #2.5 for the Federation of European Chemical Societies' (FECS) 7th Conference on Chemistry and the Environment: "Metal Speciation in the

Aquatic Environment”, Porto, Portugal. Environmental Science and Pollution Research - International, Special Issue #1, p.14.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat. (INVITED)**. 2000. “Free ion controls on Zn and Cd uptake by phytoplankton in estuarine and oceanic waters”. Keynote Abstract #2.6 for the Federation of European Chemical Societies’ (FECS) 7th Conference on Chemistry and the Environment: “Metal Speciation in the Aquatic Environment”, Porto, Portugal. Environmental Science and Pollution Research - International, Special Issue #1, p.15.

Dryden, C.L., J.A. Consolvo, A.S. Gordon, and **J.R. Donat**. 2000. “Microbial response to elevated copper concentrations in a naval harbor”. Abstract #PP 2.4 for the Federation of European Chemical Societies’ (FECS) 7th Conference on Chemistry and the Environment: “Metal Speciation in the Aquatic Environment”, Porto, Portugal. Environmental Science and Pollution Research - International, Special Issue #1, p. 53.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat**. 2000. “Importance of phytoplankton in the cycling of zinc and cadmium in a contaminated estuary”. Abstract CS 25-14: The American Society of Limnology and Oceanography 2000 Meeting, Copenhagen, Denmark.

Consolvo III, J.A. and **J.R. Donat**. 2000. “Complexation and speciation of copper in the western South and Equatorial Atlantic Ocean”. Abstract OS31P-05: The American Society of Limnology and Oceanography/ American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Gordon, A.S., B.J. Dyer, **J.R. Donat**, C.L. Dryden, and J.A. Consolvo III. 2000. “Multiple responses to copper stress from transposon mutants of marine bacteria”. Abstract OS21S-08: The American Society of Limnology and Oceanography/ American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Sanudo-Wilhelmy, S.A., C.J. Gobler, **J.R. Donat**, and J.A. Consolvo III. 2000. “Physicochemical speciation of iron in the Peconic Estuary: Observations during algal blooms”. Abstract OS32L-09: The American Society of Limnology and Oceanography/ American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Gordon, A.S. and **J.R. Donat. (INVITED)**. 2000. Use of immobilized copper ion affinity chromatography for isolation of copper-complexing ligands from microbial cultures and natural waters. 4th Intl. symposium on speciation of elements in biological, environmental and toxicological sciences. Whistler BC.

Oral Presentations:

Donat, J.R. (INVITED). “Analytical approaches for determining trace metal speciation in estuarine waters”. Workshop on the Biotic Ligand Model as a Regulatory Tool for Metal Loadings to Coastal Marine Waters, Woods Hole Oceanographic Institution, Massachusetts.

Donat, J.R. and D.J. Burdige. (INVITED). 2001. “Complexation and speciation of copper, zinc, and cadmium in the Elizabeth River water column and the influence of benthic fluxes”. U.S. Office of Naval Research Harbor Processes Review, Arlington, VA.

Burdige, D.J. and J.R. Donat. (INVITED). 2001. “Benthic fluxes of metals and metal complexing

ligands from estuarine and harbor sediments". U.S. Office of Naval Research Harbor Processes Review, Arlington, VA.

Gordon, A.S. and **J.R. Donat. (INVITED)**. 2001. "Production of strong copper complexing ligands in response to elevated copper concentrations by microbial communities in the Elizabeth River, VA". U.S. Office of Naval Research Harbor Processes Review, Arlington, VA.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat. (INVITED)**. 2001. "Free ion controls on algal uptake of zinc and cadmium in the Elizabeth River estuary: Influence on removal and cycling of pollutant metals". U.S. Office of Naval Research Harbor Processes Review, Arlington, VA.

Donat, J.R., D.J. Burdige, and G.G. Carrasco. **(INVITED)**. 2001. "Water column complexation and speciation of copper, zinc, and cadmium and their benthic fluxes in the Elizabeth River, Virginia". The 24th Annual Conference on Analysis of Pollutants in the Environment, Norfolk, VA.

Carrasco, G.G., **J.R. Donat**, and **D.J. Burdige**. 2001. "Benthic fluxes of copper and zinc and their complexing ligands in the Elizabeth River, Virginia". Spring Meeting of the Chesapeake and Potomac Regional Chapter, Society of Environmental Toxicology and Chemistry, Solomons, MD.

Donat, J.R. 2001. "Water column trace metal concentrations and speciation in the Elizabeth River, Virginia". Spring Meeting of the Chesapeake and Potomac Regional Chapter, Society of Environmental Toxicology and Chemistry, Solomons, MD.

Dryden, C.L.; J.A. Consolvo; A.S. Gordon, and **J.R. Donat**. 2001. Copper-complexing ligand production by microorganisms in the Elizabeth River, Virginia. Spring Meeting of the Chesapeake and Potomac Regional Chapter, Society of Environmental Toxicology and Chemistry (*Best Student Paper Award to C.L. Dryden*).

Donat, J.R. 2001. "Water column trace metal concentrations and speciation in the Elizabeth River, Virginia". Atlantic Estuarine Research Society Spring Meeting, Norfolk, VA.

Dryden, C.L., J.A. Consolvo, A.S. Gordon, and **J.R. Donat**. 2001. "Copper complexing ligand production by microorganisms in the Elizabeth River Virginia". Atlantic Estuarine Research Society Spring Meeting, Norfolk, VA. (*Best Ph.D. Student Presentation awarded to C.L. Dryden*).

Carrasco, G.G., **J.R. Donat**, and **D.J. Burdige**. 2001. "Benthic fluxes of copper and zinc and their complexing ligands in the Elizabeth River, Virginia". Atlantic Estuarine Research Society Spring Meeting, Norfolk, VA.

Donat, J.R. (INVITED). 2001. "Copper in a major US Harbor (Elizabeth River, Virginia): concentrations, complexation, and speciation". Symposium on Pollution Prevention from Ships and Shipyards. Oceanology International 2001 Conference, Miami, FL.

Donat, J.R. and D.J. Burdige. (INVITED). 2000. "Complexation, speciation, and sediment-water exchange of copper in the Elizabeth River, a major US harbor". Second Workshop on the Chemistry, Toxicity, and Bioavailability of Copper and its Relationship to Regulation in the Marine Environment sponsored by US Navy Space and Naval Warfare Systems Center, and the U.S. Office of Naval Research, Annapolis, MD.

A.S. Gordon and **J.R. Donat. (INVITED)**. 2000. "Production of copper-complexing ligands by bacteria in culture and by intact microbial communities in-situ". Second Workshop on the Chemistry, Toxicity, and Bioavailability of Copper and its Relationship to Regulation in the Marine Environment sponsored by US Navy Space and Naval Warfare Systems Center, and the U.S. Office of Naval Research, Annapolis, MD.

Donat, J.R. (INVITED). 2000. "Trace metal speciation in estuarine waters: voltammetric approaches and biogeochemical implications". Keynote Address: Federation of European Chemical Societies' (FECS) 7th Conference on Chemistry and the Environment: "Metal Speciation in the Aquatic Environment", Porto, Portugal.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat. (INVITED)**. 2000. "Free ion controls on Zn and Cd uptake by phytoplankton in estuarine and oceanic waters". Keynote Address: Federation of European Chemical Societies' (FECS) 7th Conference on Chemistry and the Environment: "Metal Speciation in the Aquatic Environment", Porto, Portugal.

Gordon, A.S. and **J.R. Donat**. 2000. "Use of immobilized copper ion affinity chromatography for isolation of copper-complexing ligands from microbial cultures and natural waters". Fourth International Symposium on Speciation of Elements in Biological, Environmental, and Toxicological Sciences, Whistler, British Columbia, Canada.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat**. 2000. "Importance of phytoplankton in the cycling of zinc and cadmium in a contaminated estuary". The American Society of Limnology and Oceanography 2000 Meeting, Copenhagen, Denmark.

Donat, J.R. and D.J. Burdige. (INVITED). 2000. "Metal-complexing ligands and metal speciation in sediment porewaters: implications for sediment/water exchange and water column speciation". Marine Sediment Processes Workshop sponsored by Space and Naval Warfare Systems Center (US Navy), and the U.S. Office of Naval Research, San Diego, CA.

Consolvo III, J.A. and **J.R. Donat**. 2000. "Complexation and speciation of copper in the western South and Equatorial Atlantic Ocean". The American Society of Limnology and Oceanography / American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Gordon, A.S., B.J. Dyer, **J.R. Donat**, C.L. Dryden, and J.A. Consolvo. **(INVITED)**. 2000. "Multiple responses to copper stress from transposon mutants of marine bacteria". The American Society of Limnology and Oceanography/American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Sanudo-Wilhelmy, S.A., C.J. Gobler, **J.R. Donat**, and J.A. Consolvo. 2000. "Physicochemical speciation of iron in the Peconic Estuary: Observations during algal blooms". The American Society of Limnology and Oceanography/American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.